

Item	Description and Specifications	Additional Dimensions	Photos
Loop Legs			
Loop legs require a main desk beam when installing with PLT tops.			
PLTLEG-LP-24SILVER	Loop leg for 24" deep top, silver	24" wide x 28 1/2" high	
PLTLEG-LP-30SILVER	Loop leg for 30" deep top, silver	30" wide x 28 1/2" high	
	<i>Comes with bracket</i>		
U Legs 28" high			
U Legs require a main desk beam when installing with PLT tops.			
PLTLEG-U-24SILVER	U Leg for 24" deep top, silver	24" wide x 28 1/2" high	
PLTLEG-U-30SILVER	U Leg for 30" deep top, silver	30" wide x 28 1/2" high	
PLTLEG-U-36SILVER	U Leg for 36" deep top, silver <i>36" ships with 1 PLT-CBB bracket</i>	36" wide x 28 1/2" high	
PLTLEG-U-48SILVER 1/2 PLTLEG-U-60SILVER 1/2	U Leg for 48" deep tops, silver, U Leg for 60" deep tops, silver <i>48" and 60" U Legs require PLT-CBB bracket</i>	48" wide x 28 1/2" high 60" wide x 28 1/2" high	
Metal End Panels for U Legs For use with 28" high U Legs			
Decorative metal end panel for use with U-legs for extra privacy and modern design.			
PLTULEG-FMEPP24SILVER	28" high metal end panel for U leg 24, silver	for use with 24" wide U leg	
PLTULEG-FMEPP30SILVER	28" high metal end panel for U leg 30, silver	for use with 30" wide U leg	
PLTULEG-FMEPP48SILVER	28" high metal end panel for U leg 48, silver	for use with 48" wide U leg	
PLTULEG-FMEPP60SILVER	28" high metal end panel for U leg 60, silver	for use with 60" wide U leg	
Support U Legs			
PLT-LEG U 4860 ILSILV	Inset U leg for 48" and 60" deep tops. 16" leg spread. Requires 2 PLT-MBMBC through beams.	28 1/2" high x 35" wide 5" deep	
PLT-LEG U 4860 ILCMB Silver PLT-LEG-U-4860ILCMBBLACK	Inset U leg with Cover 48/60 48"/60" INSET U LEG W/CVR+MB-B <i>PLT-LEG U 4860ILCMB Silver and Black ship with 2 PLT-MBMBC through beam connectors</i> <i>Use BLACK PLT-LEG-U-4860ILCMB with BEVEL legs.</i>	For use with 28" high U legs	
<i>Also available in black</i>			
Square Post Legs			
PLT-SQPOSTLEGPAAIR Silver PLT-SQPOSTLEGPAAIRBLACK	Silver PAIR of Square Offset post legs SQUARE POST LEG-BLACK-PAIR		<p><i>Shown above with support stiffeners- PLT-60MS or</i></p>
U Legs- Standing Height 41" high			
U Legs may require main desk beams and PLT-CBB silver set when installing with PLT tops.			
<i>PLT-CBB silver set connects main desk beam to legs.</i>			
PLTLEG-U-24NB41H-SILVER	41" high U Leg for 24" deep top, silver	24" wide x 41" high	
PLTLEG-U-30NB41H-SILVER	41" high U Leg for 30" deep top, silver	30" wide x 41" high	
PLTLEG-U-48NB41H-SILVER	41" high U Leg for 48" deep top, silver	48" wide x 41" high	
PLTLEG-U-60NB41H-SILVER	41" high U Leg for 60" deep top, silver	60" wide x 41" high	
PLTLEG-U-4860ILCMB41HSILVER	41"H INSET LEG (W/COVER)SILVER	For use with 41" high U legs	
	<i>Standing height inset leg. Ships with 2 MBMBC through beam connectors</i>		


VA LEG, Leg and Mounting Bracket separate

Top Mounting Plates (All VA legs require a top mounting plate)

- PLTVALEGMOUNT2430 Silver
- PLTVALEGMOUNT2430BLACK

VA leg top MT Plate 24/30 Silver
 VA LEG TOP MT PLATE 24X30-BLK
 For use with 24" or 30" deep worksurfaces

Use to mount VA legs to the underside of worksurface. VA legs and mounting plate sold separately.




Available in silver and black



- PLTVALEGMOUNT3642SILVER
- PLTVALEGMOUNT3642BLACK

VA LEGMOUNT MT PLATE 36X42 Silver
 VA LEG TOP MT PLATE 36X42-BLK
 For use with 36" or 42" deep worksurfaces
 Has 3 holes

Use to mount VA legs to the underside of worksurface. VA legs and mounting plate sold separately.




Available in silver and black



- PLTVALEGMOUNT4860BLACK
- PLTVALEGMOUNT4860SILVER

VA LEG MT PLATE 48X60-BLK
 VA LEG TOP MT PLATE 48X60-BLK
 For use with 48" or 60" deep worksurfaces

Use to mount VA legs to the underside of worksurface. VA legs and mounting plate sold separately.




Available in silver and black



VA Legs (Sold in Pairs)

- PLTVAMETLEG SILVER
- PLTVAMETLEGBLACK
- PLT-VARWLEGMW
- PLT-VARWLEGNPG
- PLT-VAWLEGNO

VA Metal leg pair Silver
 VA METAL LEG PAIR-BLK
 VA Walnut wood leg Pair 28 1/2"H
 VA NPG wood leg Pair 28 1/2"
 VA Nat Oak wood leg Pair 28 1/2"



Power Wood VA Leg (sold individually)

- PLT-ECVARWLEGMW
- PLT-ECVARWLEGNO
- PLT-ECVARWLEGNPG

Power wood Leg-Modern Walnut
 Power wood leg-Natural oak
 Power wood leg Newport Grey

Sold individually. Use with PLTVALEGMOUNT to attach to underside of worksurface.




Desk Risers

- PLTDR2430-SILVER
- PLTDR2430-BLACK

24/30" DEEP DESK RISER- Silver
 24/30" DEEP DESK RISER-Black

Use when installing 24" or 30" deep worksurface on PL1012 or PL1013 with no feet. This desk riser will allow for standard work surface height.




Hutch Supports and Hutch Support Glides

Hutch supports are sold in pairs

- PLT-LP HS20 Silver
- PLT-LPHS20 Black


20" high loop hutch support, pair, silver
 20" high loop hutch support, pair, black



mounts to the underside of hutch

- PLT-LPHS27Black
- PLT-LP HS27 Silver
- PLT-LP HS Glide A2

27" high loop hutch support, pair, black
 27" high loop hutch support, pair, silver
 Glide for PLTLP-HS-27 A2(Set of 2)
 Use when installing 27" high supports on the floor



Support Pieces

<p>PLTLEG-U-HALFSILVER</p>	<p>Half U leg silver</p> <p>27 3/4" high x 16" wide 2" deep</p> <p>Requires CBB Connector beam bracket</p>	
<p>PLTMBMBCSILVER</p>	<p>Connector through bracket (set of 2)</p> <p>Use to gang multiple worksurfaces together. Bracket passes through table legs to connect main desk beams on both sides.</p>	
<p>PLT-RETSUPPORTSILV</p>	<p>Return support bracket (single)</p>	
<p>PLTCBBSILVER</p>	<p>Connector beam brackets (pair) for 48" & 60" legs.</p> <p>For use when installing with main desk beams, return beams, and half legs.</p> <p>1 included with PLT U leg 30 Flat Bracket</p>	
<p>PLTFB</p>	<p>Flat Bracket</p>	
<p>PLT-USUPPORTSILVER</p>	<p>U support bracket (Set of 2)</p>	

Main Desk Beams

Main desk beams required with Loop leg, U-leg, and VA leg. All beams 2" high x 1" deep. Not for use with beveled legs.

Adjustable main desk beams also available (see following page). Adjustable main desk beams required when using beveled legs

<p>PLT-Maindeskbeam 48</p>	<p>For a 48" wide top</p>	<p>Actual length 43 3/8" long</p>	
<p>PLT-Maindeskbeam 60</p>	<p>For a 60" wide top</p>	<p>Actual length 55 1/2" long</p>	
<p>PLT-Maindeskbeam 66</p>	<p>For a 66" wide top</p>	<p>Actual length 61 1/2" long</p>	
<p>PLT-Maindeskbeam 72</p>	<p>For a 72" wide top</p>	<p>Actual length 67 1/4" long</p>	

Return Beams

Return beams include bracket. All beams 2" high x 1" deep. Not for use with beveled legs.


Adjustable return beams also available (see following page). Adjustable beams required when using beveled legs.

<p>PLT-Return beam 48</p>	<p>For a 48" wide top</p>	<p>Actual length 56 5/16" long</p>	
<p>PLT-Return beam 60</p>	<p>For a 60" wide top</p>	<p>Actual length 69 1/8" long</p>	
<p>PLT-Return beam 66</p>	<p>For a 66" wide top</p>	<p>Actual length 75" long</p>	
<p>PLT-Return beam 72</p>	<p>For a 72" wide top</p>	<p>Actual length 81 1/8" long</p>	

Lower Desk Riser

<p>PLT-LDR2430 Black</p>	<p>Lower desk riser for 24" & 30" tops Black</p>
<p>PLT-LDR2430 Silver</p>	<p>Lower desk riser for 24" & 30" d tops Silver</p>

Use in combination with Cabinet Feet (PLT-AWRLEG or PLT-SMRLEG). When installing 24" or 30" deep worksurface on PL1012 or PL1013 with angled wood or small metal feet this desk riser will allow for a standard work surface height.



Available in black and silver

Cabinet Feet

PLT-AWRLEGMWN
PLT-AWRLEGNO
PLT-AWRLEGNPG

Angled wood leg, small. Modern Walnut finish
 Angled wood leg, small. Natural wood finish.
 Angled wood leg, small. Newport Grey finish

Use in combination with PL1012 or PL1013. Feet require additional support blocks installed on underside of cabinet. Please see instructions for additional installation information.

Angled wood legs ship as a set of 4

PLT-SMRLEG Black
PLT-SMRLEG Silver

2" X 2" X 4" H Black metal leg (Set of 4)
 2' X 2" X 4" H Silver metal leg (Set of 4)

SMR legs ship as a set of 4

Use in combination with PL1012 or PL1013. Feet require additional support blocks installed on underside of cabinet. Please see instructions for additional installation information.

Available in three finishes: Natural, Newport Gray, Modern Walnut

4 1/2" tall

3 1/4" wide

3 1/4"

3 1/4" mounting plate dimensions

Available in silver or black

3 1/4" mounting plate dimensions

Bevel Loop Leg

Bevel loop legs require a main desk beam and PLTBBSingle when installing with PLT tops.

PLTLEG-BEV24BLACK
PLTLEG-BEV30BLACK
PLTLEG-BEV48BLACK
PLTLEG-BEV60BLACK

Bevel Loop Leg for 24" deep top, black
 Bevel Loop Leg for 30" deep top, black
 Bevel Loop Leg for 48" deep top, black
 Bevel Loop Leg for 60" deep top, black

24" wide x 28 1/2" high
 30" wide x 28 1/2" high
 48" wide x 28 1/2" high
 60" wide x 28 1/2" high

PLTLEG-BEV24 and PLTLEG-BEV30 require 1 PLTBBSingle on each leg
PLTLEG-BEV48 and PLTLEG-BEV60 require 2 PLTBBSingle on each leg

28 1/2" high

3" deep

Support Pieces for Bevel Loop Leg

PLT-BBBSINGLEBLACK

Connector beam bracket for Bevel loop leg (single)

Required on all Bevel loop legs.
 PLTLEG-BEV24 and PLTLEG-BEV30 require 1 on each leg
 PLTLEG-BEV48 and PLTLEG-BEV60 require 2 on each leg

PLT-BBBRETSUPPORTBLACK

Return support bracket for Bevel loop leg (single)
 Use with 48" tops or shorter.

PLT-RBBFPBLACK

Side Return Connector Beam Bracket with flat plate
 Required on all PLT-ADJRB6072

2" high

Side View

Top View

2" wide

9 1/2" long

2" high

Side View

Top View

2" wide

9 1/2" long

2" high

Side View

Top View

2" wide

7" long

Adjustable Main Desk Beams

Adjustable main desk beams required for beveled legs. All beams 2" high x 1" deep. Can also be used with loop leg, U-leg, and VA leg.

PLT-ADJMDB4872 Black

Adjustable main desk beam 48"-72"
 For use with beveled legs and PLT tops. Can not be used with 48" or shorter PLT tops. Use PLTBBSUPPORTBLACK with shorter PLT tops.
 Adjustable beams are marked with measurements. When using with loop, U, and VA legs move beam in 1" shorter.

Min width of beam 43 1/4"

Max width of beam 67 3/8"

Adjustable Return Beams

Adjustable return beams required for beveled legs. All beams 2" high x 1" deep. Can also be used with loop leg, U-leg, and VA leg.

PLT-ADJRB6072 Black

Adjustable return beam 60"-72"
 Requires PLT-RBBFPBlack
 Adjustable beams are marked with measurements. When using with loop, U, and VA legs move beam in 1" shorter.

Min width of beam 68 3/4"

Max width of beam 93 1/8"

Side Tables

PLT-LTT-66TSILVER

Laptop Table Frame for PL-66T, silver

Use with PL-66T tops, sold separately

15 3/4" deep

24 1/2" high

24 3/4" interior height

10 3/4" interior depth

PL66T top available in the following finishes:
 Espresso
 Cherry
 White
 Mahogany
 Modern Walnut
 Newport Gray
 Aspen

PLT-VLEGR Silver

28" metal V three leg table base, silver



PLTVLEG417SILVER

METAL V LEG END TABLE BASE



PLTWMBASE2448BLACK
PLTWMBASE3030BLACK

ROD TABLE BASE 24X48"-BLK
ROD TABLE BASE 30"-BLK



Panel Mounting Brackets

Available in black or silver




Accessories

PLT-ATSilver

Hanging accessory Tray- Silver


Hangs over 3/4" fabric, acrylic, magnetic glass, or PB2 panel.



PLT-PHSilver

Hanging pen holder- Silver


Hangs over 3/4" fabric, acrylic, magnetic glass, or PB2 panel.



PLT-BHSILVER

Table mount Bag hook

Mounts to the edge of 1" thick worksurface. Padded with protective foam to prevent scratches.



Sample Configuration

Sample Configuration
Bevel Loop Leg L Group

